

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	26	L3 and 707/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 16:23
L3	8866	((migrat\$3 or transfer\$4) with (server) ).dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 16:23
L2	0	((migrat\$3 or transfer\$4) with (another with server) ). dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 16:23
L1	2698	(distributed adj file adj system \$1) or ((proxy near3 server \$1 ) near3 file ).dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 16:22
S174	2	"20030204562"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 15:01
S173	96	S171 and (stor\$3 with (size\$1 or capacity or volume\$1 or amount\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:36
S172	3	S171 and 707/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:36
S171	150	((migrat\$4 or transfer\$4 ) near5 request\$1 ) and (migrat \$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:36
S170	17	S169 and 707/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:35

S169	724	S166 and ( ((migrat\$3 or transfer\$4) near5 (server) ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:35
S168	68	S167 and 707/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:35
S167	1709	S166 and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:35
S166	3231	(distributed adj file adj system \$1) or (proxy near3 server \$1 ) near3 file )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 14:35
S165	1	"6256675".pn. and (offload\$3 or off?load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 09:07
S164	1	"6256675".pn. and (repeat\$4 or regular\$2 or interval\$1 or (pre?determined or predetermined) or time\$1) and (request near2 metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:29
S163	1	"6256675".pn. and (repeat\$4 or regular\$2 or interval\$1 or (pre?determined or predetermined) or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:23
S162	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:22
S161	2	"20040210583" and (memory )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:29
S160	2	"4771375".pn. and recall\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 15:46

S159	46	((load near2 balanc\$3) and (migrat\$3 near4 back ) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 15:19
S158	29	(request with migrat\$3 with back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:52
S157	23	S156 and (migrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S156	138	((request near5 return) near5 file\$1) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S155	141	((request near5 return) near6 file\$1) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S154	194	((request near5 return) with file\$1) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S153	362	(request with return with file \$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:49
S152	4	S148 and (return near1 request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:46
S151	0	S148 and (return same request\$3 same packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:45
S150	0	S148 and (return with request \$3 with packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:45
S149	31	S148 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:39

S148	1392	(migrat\$3 near5 (back or reverse)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:32
S147	30	((return near1 request\$1) and migrat\$3) and (return\$3 with source\$1 ) ) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:25
S146	178	((return near1 request\$1) and migrat\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:24
S145	32	((return near1 request\$1) with server\$1 ) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:22
S144	82	((return near1 request\$3) with server\$1 ) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:22
S143	116	((return near2 request\$3) with server\$1 ) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:21
S142	622	((return near2 request\$3) with server\$1 ) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:21
S141	3875	(return near2 request\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:20
S140	9	(return\$3 same migrat\$3 same file\$1 same request\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:49
S139	0	(return\$3 with migrat\$3 with file\$1 with request\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:48
S138	97	S137 and ((return\$3 near5 file \$1) with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:35

S137	180	S135 and (return\$3 near5 (file \$1 or director\$3 or record \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:57
S136	205	S135 and (return\$3 with (file \$1 or director\$3 or record \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:57
S135	322	S134 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56
S134	945	S133 and ((migrat\$3 or transfer\$4) with (server) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56
S133	3026	((distributed adj file adj system \$1) or ((proxy near3 server \$1 ) near3 file )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56
S132	1	"6256675".pn. and return\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:51
S131	1	"20040210583" and ((return with request\$1) or (return with packet) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:44
S130	1	"6256675".pn. and path\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:12
S129	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:12
S128	2	"20050071421"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:08

S127	430	((transfer\$4 or migrat\$3 or offload\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1) near5 (sen\$4 or advertis\$5 or message\$1) near6 after ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:55
S126	483	((transfer\$4 or migrat\$3 or offload\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1) near6 (sen\$4 or advertis\$5 or message\$1) near6 after ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:22
S125	12140	((transfer\$4 or migrat\$3 or offload\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1) near6 (sen\$4 or advertis\$5 or message\$1) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:21
S124	115851	((transfer\$4 or migrat\$3 or offload\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:20
S116	141	((migrat\$3 or transfer\$4) near6 (advertis\$3 or broadcast\$3) near7 packet \$1 ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:19
S123	11	S122 and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:07
S122	33	((migrat\$4 or transfer\$4 ) with (packet\$1 or message \$1) ) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:07
S83	62	((migrat\$4 or transfer\$4 ) near5 (request\$1 or message \$1) ) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:06
S84	14	S83 and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:05
S121	2	((migrat\$3 with (file\$1 or data)) same advertis\$3 ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:04

S120	1	((migrat\$3 with (file\$1 or data) ) same (advertis\$3 with (message\$1 or packet\$1) ) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:04
S119	1	((migrat\$3 with (file\$1 or data) ) with advertis\$3 with (message\$1 or packet\$1) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:03
S118	43	((migrat\$3 near6 (advertis\$3 or broadcast\$3) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:02
S117	13	((migrat\$3 near6 (advertis\$3 or broadcast\$3) near7 packet \$1 ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:59
S115	1705	((migrat\$3 or transfer\$4) near6 (advertis\$3 or broadcast\$3) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:57
S114	688	((((predetermined or pre? determined ) adj interval\$1) near3 (execut\$3) ) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S113	144	((((predetermined or pre? determined ) adj interval\$1) near3 (execut\$3) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S63	677	((((predetermined or pre? determined ) adj interval\$1) near3 (execut\$3) ) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S112	233	((return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1) ) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S111	572	((return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1) ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S110	24	S109 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55

S109	352	(return\$3 near4 (host\$1 or server\$1 or client\$1) near4 (file\$1 or replica\$1 )) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S108	777	(return\$3 near4 (host\$1 or server\$1 or client\$1) near4 (file\$1 or replica\$1 )) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S107	448	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1 )) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S106	951	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1 )) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S60	1198	(return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1 )) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S69	1587	(return\$3 near4 (host\$1 or server\$1 or client\$1) near4 (file\$1 or replica\$1 )) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S105	506	(delet\$3 near3 (path\$1 or path?name\$1 or pathname\$1)) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S104	433	(delet\$3 near3 (path\$1 or path?name\$1 or pathname\$1)) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S70	1140	(delet\$3 near3 (path\$1 or path?name\$1 or pathname\$1)) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S68	1883	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1 )) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S103	3	((predetermined or pre? determined ) adj interval\$1 near3 (execut\$3) near7 access\$3 ) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53



S102	0	((((predetermined or pre? determined ) adj interval\$1) near3 (execut\$3) near7 access\$3 ) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S101	37	S100 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S100	497	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 )) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S99	1060	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 )) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S64	2	((((predetermined or pre? determined ) adj interval\$1) near3 (execut\$3) near7 access\$3 ) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S98	1242	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 or cop\$3)) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S97	30	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S96	50	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S67	2114	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 )) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S66	2484	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 or cop\$3)) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S54	98	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52

S95	48	S93 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S94	103	S93 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S93	271	local adj director	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S39	150	S38 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S92	0	S91 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S91	3080	S89 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S90	809	S89 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S89	9188	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S88	15	S86 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S87	35	S86 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S36	4298	S35 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50

S86	129	((migrat\$4 or transfer\$4 ) near5 request\$1 ) and (migrat \$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S85	14	S83 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S82	197	S81 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S81	1700	S74 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S80	0	S78 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S33	59	S32 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S31	18	S30 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S79	28	S77 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:48
S78	57	S77 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:48
S77	226	migration near3 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S76	325	S74 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47

S75	754	S74 and @riad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S27	127	S26 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S74	2840	(distributed adj file adj system \$1) or ((proxy near3 server \$1 ) near3 file )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:44
S3	1504	S2 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:44
S73	1	"6256675".pn. and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:43
S68	0	"6256675".pn. and (delet\$3 with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:43
S72	2	"20060036892" and (delet\$3 or path\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
S71	1	"20060036892" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
S69	1	"6256675".pn. and (delet\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
S66	2	"6256675".pn. and (log\$4 or indicat\$3 or record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
S67	2	"20040221024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:40

S52	2	"6256675".pn. and (interval \$1 or time\$1 or determined or predetermined or pre? determined or transfer\$3 or tag\$1 or mark or flag\$1 or stor\$3 or sav\$3 or path or return\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:09
S65	2	"20010002472" and interval \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:46
S62	1	"20040221024" and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:39
S61	0	"20040221024" and interval \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:39
S55	4182	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or object\$1 or replica \$1 or cop\$3)) and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:33
S53	1	"20040210583" and return\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
S1	2	"20040210583"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
S51	1	"6256675".pn. and replicator \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 09:08
S50	1	"20040024790" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 16:16
S49	1	"6609132".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:26

S48	4	"620988".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:24
S47	2	"6256675".pn. and distributor \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S45	2	"6256675".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 or request\$1 or "request" )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S46	4	"645699".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 16:00
S44	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 15:37
S43	2	"5544347".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 15:37
S42	6	"052039".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06
S34	2	"6484204".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06
S32	85	((migrat\$4 or transfer\$4 ) near5 request\$1 ) and (migrat \$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:46
S41	24	S40 and ((migrat\$4 or transfer \$4 ) near5 request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33

S40	88	S39 and disco	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S29	95	((migrat\$4 or transfer\$4 ) near5 (request\$1 or message \$1) ) and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S38	212	local adj director	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28
S37	0	"L145" and (local adj director)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28
S35	5473	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:27
S23	2	"5873103".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:20
S30	37	((migrat\$4 or transfer\$4 ) near5 (request\$1 or message \$1) ) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:11
S28	8	S27 and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:10
S26	181	migration near3 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05
S25	1	"5452448".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05

S24	2	"5537585".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:52
S22	2	"6026414".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:38
S21	2	"6442601".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:46
S20	2	"20030195924" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:41
S19	1	"20030204562" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:25
S18	2	"20040186861" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:21
S17	2	"20040186861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S15	3	"20020169794" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S16	6	"785995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:11



S14	2	"20030093413" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:44
S13	2	"20030093413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:42
S12	55472	"200300"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41
S11	2	"20050192966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41
S10	2	"6453354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:25
S9	4	"645813".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 12:11
S8	161	S2 and ( ( ((migrat\$3 or transfer\$4) near file\$1 ) near5 (server) ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:49
S7	496	S2 and ( ( ((migrat\$3 or transfer\$4) near5 (server) ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S6	661	S2 and ((migrat\$3 or transfer\$4) with (server) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S5	0	S2 and ((migrat\$3 or transfer\$4) with (another with server) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42

S4	1457	S2 and (migrat\$3 or transfer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42
S2	2117	(distributed adj file adj system \$1) or ((proxy near3 server \$1 ) near3 file )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:39

9/ 17/ 2008 4:24:47 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-645-699\_\_1.wsp